Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 03/16/2015 Revision date: 09/03/2020 Supersedes: 08/12/2019 Version: 1.1

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: Christmas Tree #TS002
Product code	: TS002
1.2. Recommended use and restriction	s on use
Use of the substance/mixture	: Perfumes, fragrances
Recommended use	: Perfumes, fragrances
1.3. Supplier	

1.4.	Emergency telephone number	
_		

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2. Hozard(a) identification	
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or r	
GHS-US classification	HAMI'
Flammable liquids, Category 4 H227 Combu	istible liquid
	ause an allergic skin reaction.
Full text of H statements : see section 16	
	·
2.2. GHS Label elements, including pre	cautionary statements
GHS US labelling	
Hazard pictograms (GHS US)	
	· ·
	\mathbf{V}
Signal word (GHS US)	: Warning
Hazard statements (GHS US)	: H227 - Combustible liquid
	H317 - May cause an allergic skin reaction.
Precautionary statements (GHS US)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P272 - Contaminated work clothing must not be allowed out of the workplace.
	P280 - Wear cold insulating gloves, eye protection, face protection, face shield, protective
	clothing, protective gloves. P302+P352 - If on skin: Wash with plenty of water.
	P302+P302 - If on skin, wash with plenty of water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P363 - Wash contaminated clothing before reuse.
2.3. Other hazards which do not result	in classification
No additional information available	
2.4. Unknown acute toxicity (GHS US)	
Not applicable	
SECTION 3: Composition/information	on on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
Fir needle oil, Canadian	(CAS-No.) 8021-28-1	5 – 8	Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Benzyl benzoate	(CAS-No.) 120-51-4	1.25 – 2.5	Acute Tox. 4 (Oral), H302
Veltol plus crystals	(CAS-No.) 4940-11-8	0.85 – 1.7	Acute Tox. 4 (Oral), H302
Vertenex	(CAS-No.) 32210-23-4	0.75 – 1.5	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Linalyl acetate	(CAS-No.) 115-95-7	0.6 – 1.2	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Cedar leaf oil	(CAS-No.) 8007-20-3	0.4 – 0.8	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Scentenal	(CAS-No.) 86803-90-9	0.15 – 0.3	Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of water/ If skin irritation or rash occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effect	ts (acute and delayed)
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishi	ing media
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from the che	emical
Fire hazard	: Combustible liquid.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Special protective equipment and protecti	ecautions for fire-fighters
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release m	
6.1. Personal precautions, protective	e equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. N	Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.
6.3. Methods and material for contain	inment and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
	onal protection. For further information refer to section 13.
See Heading 8. Exposure controls and perso	
See Heading 8. Exposure controls and person SECTION 7: Handling and storage	
See Heading 8. Exposure controls and person SECTION 7: Handling and storage	
See Heading 8. Exposure controls and person SECTION 7: Handling and storage 7.1. Precautions for safe handling	e : Handle empty containers with care because residual vapours are flammable. Keep away from
See Heading 8. Exposure controls and perso SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling	 e Handle empty containers with care because residual vapours are flammable. Keep away from Keep away from heat, sparks and flame. No smoking. Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust, fume, gas, mist, spray, vapours. No open flames. No smoking. Avoid contact with skin and eyes. Wear
See Heading 8. Exposure controls and perso SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures	 e Handle empty containers with care because residual vapours are flammable. Keep away from Keep away from heat, sparks and flame. No smoking. Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust, fume, gas, mist, spray, vapours. No open flames. No smoking. Avoid contact with skin and eyes. Wear personal protective equipment. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
See Heading 8. Exposure controls and perso SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, incl	 e Handle empty containers with care because residual vapours are flammable. Keep away from Keep away from heat, sparks and flame. No smoking. Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust, fume, gas, mist, spray, vapours. No open flames. No smoking. Avoid contact with skin and eyes. Wear personal protective equipment. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
See Heading 8. Exposure controls and perso SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, incl Technical measures	 e Handle empty containers with care because residual vapours are flammable. Keep away from Keep away from heat, sparks and flame. No smoking. Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust, fume, gas, mist, spray, vapours. No open flames. No smoking. Avoid contact with skin and eyes. Wear personal protective equipment. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
See Heading 8. Exposure controls and person SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, incl Fechnical measures Storage conditions	 e Handle empty containers with care because residual vapours are flammable. Keep away from Keep away from heat, sparks and flame. No smoking. Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust, fume, gas, mist, spray, vapours. No open flames. No smoking. Avoid contact with skin and eyes. Wear personal protective equipment. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Iuding any incompatibilities Proper grounding procedures to avoid static electricity should be followed. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Keep in fireproof place. Store in a well-ventilated place. Keep
See Heading 8. Exposure controls and person SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, incl Fechnical measures Storage conditions ncompatible products	 e Handle empty containers with care because residual vapours are flammable. Keep away from Keep away from heat, sparks and flame. No smoking. Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust, fume, gas, mist, spray, vapours. No open flames. No smoking. Avoid contact with skin and eyes. Wear personal protective equipment. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Iuding any incompatibilities Proper grounding procedures to avoid static electricity should be followed. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Keep in fireproof place. Store in a well-ventilated place. Keep cool.
See Heading 8. Exposure controls and person SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, incl Fechnical measures Storage conditions ncompatible products ncompatible materials	 e Handle empty containers with care because residual vapours are flammable. Keep away from Keep away from heat, sparks and flame. No smoking. Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust, fume, gas, mist, spray, vapours. No open flames. No smoking. Avoid contact with skin and eyes. Wear personal protective equipment. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Iuding any incompatibilities Proper grounding procedures to avoid static electricity should be followed. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Keep in fireproof place. Store in a well-ventilated place. Keep cool. Strong bases. Strong acids.
See Heading 8. Exposure controls and perso SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, incl Technical measures Storage conditions Incompatible products Incompatible materials Storage temperature	 e Handle empty containers with care because residual vapours are flammable. Keep away from Keep away from heat, sparks and flame. No smoking. Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust, fume, gas, mist, spray, vapours. No open flames. No smoking. Avoid contact with skin and eyes. Wear personal protective equipment. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Iuding any incompatibilities Proper grounding procedures to avoid static electricity should be followed. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Keep in fireproof place. Store in a well-ventilated place. Keep cool. Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.
See Heading 8. Exposure controls and perso SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures	 e Handle empty containers with care because residual vapours are flammable. Keep away from Keep away from heat, sparks and flame. No smoking. Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust, fume, gas, mist, spray, vapours. No open flames. No smoking. Avoid contact with skin and eyes. Wear personal protective equipment. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Iuding any incompatibilities Proper grounding procedures to avoid static electricity should be followed. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep cool. Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources. 25 °C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Christmas Tree #TS002

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Fir needle oil, Canadian (8021-28-1)	
No additional information available	
Benzyl benzoate (120-51-4)	
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL (TWA) (mg/m³)	5
Veltol plus crystals (4940-11-8)	
No additional information available	
Vertenex (32210-23-4)	
No additional information available	
Linalyl acetate (115-95-7)	
No additional information available	
Cedar leaf oil (8007-20-3)	
No additional information available	
Scentenal (86803-90-9)	
No additional information available	

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls Ensure good ventilation of the work station.Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and	I chemical properties	
9.1. Information on basic	physical and chemical properties	
Physical state	: Liquid	
Colour	: light yellow amber	
Odour	: characteristic	
Odour threshold	: No data available	
рН	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
22/22/2222		1/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Boiling point	: No data available
Flash point	: 78.2 °C (closed cup) ASTM D7094
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: ≈ 0.971
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and	d reactivity		
10.1. Reactivity			
The product is non-reactive under	normal conditions of use, storage and transport.		
10.2. Chemical stability			
Combustible liquid. May form flam	mable/explosive vapour-air mixture. Not established.		
10.3. Possibility of hazardou	Possibility of hazardous reactions		
Not established.			
10.4. Conditions to avoid			
Direct sunlight. Extremely high or I	low temperatures. Open flame. Overheating. Heat. Sparks.		
10.5. Incompatible materials	S		
Strong acids. Strong bases.			
10.6. Hazardous decomposition products			
fume. Carbon monoxide. Carbon o	dioxide. May release flammable gases.		
SECTION 11: Toxicologica	al information		
11.1. Information on toxicol	ogical effects		
Acute toxicity (oral)	: Not classified		
Acute toxicity (dermal)	: Not classified		
Acute toxicity (inhalation)	: Not classified		
Fir needle oil, Canadian (8021-	-28-1)		

Fir needle oll, Canadian (8021-28-1)		
LD50 oral rat	> 5 g/kg	
LD50 dermal rabbit	> 5 g/kg	
Benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg	
LD50 dermal rabbit	4000 mg/kg	
ATE US (oral)	500 mg/kg bodyweight	
ATE US (dermal)	4000 mg/kg bodyweight	
Veltol plus crystals (4940-11-8)		
LD50 oral rat	1150 mg/kg	
ATE US (oral)	1150 mg/kg bodyweight	
Vertenex (32210-23-4)		
LD50 oral rat	5 g/kg	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<u> </u>	-
Vertenex (32210-23-4)	
LD50 dermal rabbit	> 5000 mg/kg
ATE US (oral)	5000 mg/kg bodyweight
Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
ATE US (oral)	14550 mg/kg bodyweight
Cedar leaf oil (8007-20-3)	
LD50 oral rat	830 mg/kg
ATE US (oral)	830 mg/kg bodyweight
Scentenal (86803-90-9)	
LD50 oral rat	2800 mg/kg
ATE US (oral)	2800 mg/kg bodyweight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.

SECTION 12: Ecological info	rmation	
12.1. Toxicity		
Ecology - general	: Toxic to aquatic life with long lasting effects.	
Ecology - water	: Toxic to aquatic life with long lasting effects.	
Benzyl benzoate (120-51-4)		
LC50 fish 1	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
NOEC (chronic)	0.168 mg/l	
Veltol plus crystals (4940-11-8)		
LC50 fish 1 > 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)		
Vertenex (32210-23-4)		
LC50 fish 1	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])	
Linalyl acetate (115-95-7)		
LC50 fish 1	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability		
Christmas Tree #TS002		
Persistence and degradability	May cause long-term adverse effects in the environment. Not established.	
Benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	

12.3. Bioaccumulative potential	
Christmas Tree #TS002	
Bioaccumulative potential	Not established.
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	4
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

	Other	information	
--	-------	-------------	--

: Avoid release to the environment.

SECTION 13: Disposal consideration	IS
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	 Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
Additional information	: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	

Department of Transportation (DOT)

In accordance with DOT

Other information

: No supplementary information available.

SECTION 15: Regulatory information 15.1. US Federal regulations All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for: Fir needle oil, Canadian CAS-No. 8021-28-1 5 – 8%

Scentenal (86803-90-9)	
EPA TSCA Regulatory Flag	PMN - PMN - indicates a commenced PMN substance.

15.2. International regulations

CANADA

Benzyl benzoate (120-51-4)	
Listed on the Canadian DSL (Domestic Substances List)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Veltol plus crystals (4940-11-8)
Listed on the Canadian DSL (Domestic Substances List)
Vertenex (32210-23-4)
Listed on the Canadian DSL (Domestic Substances List)
Linalyl acetate (115-95-7)
Listed on the Canadian DSL (Domestic Substances List)
Cedar leaf oil (8007-20-3)
Listed on the Canadian DSL (Domestic Substances List)
Scentenal (86803-90-9)
Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Fir needle oil, Canadian (8021-28-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Benzyl benzoate (120-51-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Veltol plus crystals (4940-11-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Vertenex (32210-23-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Linalyl acetate (115-95-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Scentenal (86803-90-9)

Listed on ELINCS (European List of Notified Chemical Substances)

National regulations

Fir needle oil, Canadian (8021-28-1)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)		
Benzyl benzoate (120-51-4)		
	Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)	
	Veltol plus crystals (4940-11-8)	
	Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vertenex (32210-23-4)	
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)	
Linalyl acetate (115-95-7)	
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)	
Cedar leaf oil (8007-20-3)	
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory)	
Scentenal (86803-90-9)	
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) 15.3. US State regulations	

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date	:	09/03/2020
Other information	:	None.

Full text of H-statements:

H226	Flammable liquid and vapour.
H227	Combustible liquid
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA fire hazard	: 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.

SDS US (GHS HazCom 2012)

The data contained in this Safety Data Sheet is accurate to the best knowledge of the manufacturer, applies to the product as supplied by the manufacturer and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does the manufacturer assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact the supplier.