## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 2/2/2021

## **SECTION 1: Identification**

## 1.1. Identification

Product form : Mixture

Trade name : Cranberry Plum #TS059

Product code : TS059

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Perfumes, fragrances Recommended use : Perfumes, fragrances

## 1.3. Supplier

#### 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil:

+0-800-591-6042; India: +000-800-100-4086

## **SECTION 2: Hazard(s) identification**

#### 2.1. Classification of the substance or mixture

#### **GHS-US** classification

Acute toxicity (oral), Category 4 H302 Harmful if swallowed.

Skin sensitisation, Category 1 H317 May cause an allergic skin reaction.

Reproductive toxicity, Category 2 H361 Suspected of damaging fertility or the unborn child.

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

## **GHS US labelling**

Hazard pictograms (GHS US)





Signal word (GHS US) : Warning

Hazard statements (GHS US) : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H361 - Suspected of damaging fertility or the unborn child.

Precautionary statements (GHS US) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing must not be allowed out of the workplace.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

#### 2.3. Other hazards which do not result in classification

#### No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 2.4. Unknown acute toxicity (GHS US)

Not applicable

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Benzyl benzoate	CAS-No.: 120-51-4	7.61205 – 32.16705	Acute Tox. 4 (Oral), H302
Hexyl alcohol	CAS-No.: 111-27-3	0.39959 – 1.68859	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312
Butylphenyl methylpropional	CAS-No.: 80-54-6	0.1 – 1	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

Full text of hazard classes and H-statements: see section 16

## **SECTION 4: First-aid measures**

## 4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of water/... If skin irritation or rash occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). Wash contaminated clothing before reuse.

First-aid measures after eye contact

Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion

Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER/doctor if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met. Harmful if swallowed.

Symptoms/effects after inhalation

: May cause an allergic skin reaction.

Symptoms/effects after ingestion

Swallowing a small quantity of this material will result in serious health hazard.

#### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

2/2/2021 (Issue date) EN (English) 2/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

No additional information available

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of

vapour. Avoid breathing fume, mist, spray.

Hygiene measures : Do not eat, drink or smoke when using this

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
 Contaminated work clothing should not be allowed out of the workplace. Wash contaminated

clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away from

heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container

closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

2/2/2021 (Issue date) EN (English) 3/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

#### 8.2. Appropriate engineering controls

No additional information available

## 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Wear appropriate mask

#### Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow amber
Odour : characteristic
Odour threshold : No data available
pH : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available

Flash point :  $> 82.2 \, ^{\circ}\text{C}$ 

Relative evaporation rate (butylacetate=1) No data available Flammability (solid, gas) Not applicable. Vapour pressure No data available Relative vapour density at 20 °C No data available Relative density No data available : No data available Solubility Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic No data available Explosive limits No data available Explosive properties No data available Oxidising properties No data available

#### 9.2. Other information

No additional information available

2/2/2021 (Issue date) EN (English) 4/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Not established.

## 10.3. Possibility of hazardous reactions

Not established.

## 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (initialation)	NOT Classified	
Cranberry Plum #TS059		
ATE US (oral)	1958.905 mg/kg bodyweight	
Benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg	
LD50 dermal rabbit	4000 mg/kg	
ATE US (oral)	500 mg/kg bodyweight	
ATE US (dermal)	4000 mg/kg bodyweight	
Hexyl alcohol (111-27-3)		
LD50 oral rat	3210 mg/kg	
LD50 dermal rabbit	1500 – 2000 mg/kg	
LC50 Inhalation - Rat	> 21 mg/l (Exposure time: 1 h)	
ATE US (oral)	3210 mg/kg bodyweight	
ATE US (dermal)	1500 mg/kg bodyweight	
Butylphenyl methylpropional (80-54-6)		
LD50 oral rat	1390 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
LC50 Inhalation - Rat	> 1802 mg/m³ (Exposure time: 4 h)	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Butylphenyl methylpropional (80-54-6)		
ATE US (oral)	1390 mg/kg bodyweight	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Viscosity, kinematic	: No data available	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met. Harmful if swallowed.	
Symptoms/effects after inhalation	: May cause an allergic skin reaction.	
Symptoms/effects after ingestion	Swallowing a small quantity of this material will result in serious health hazard.	

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
NOEC (chronic)	0.168 mg/l	
Hexyl alcohol (111-27-3)		
LC50 - Fish [1]	89.7 – 106 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 - Fish [2]	144 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])	
Butylphenyl methylpropional (80-54-6)		
LC50 - Fish [1]	2.2 – 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])	
EC50 - Crustacea [1]	10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna)	

## 12.2. Persistence and degradability

Cranberry Plum #TS059	
Persistence and degradability	Not established.
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

## 12.3. Bioaccumulative potential

Cranberry Plum #TS059		
Bioaccumulative potential	Not established.	
Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	4	
Bioaccumulative potential	Not established.	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hexyl alcohol (111-27-3)		
Partition coefficient n-octanol/water (Log Pow)	2.03	
Butylphenyl methylpropional (80-54-6)		
Partition coefficient n-octanol/water (Log Pow)	4.2 (at 24 °C)	

## 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Other information : Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container in accordance with local/national laws and regulations.

Ecology - waste materials : Avoid release to the environment.

## **SECTION 14: Transport information**

In accordance with Department of Transport

## **14.1. UN** number

Not regulated for transport

## 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable

## 14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not applicable

## 14.4. Packing group

Packing group (DOT) : Not applicable

## 14.5. Environmental hazards

Other information : No supplementary information available.

## 14.6. Special precautions for user

#### דסם

No data available

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

2/2/2021 (Issue date) EN (English) 7/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

#### 15.2. International regulations

#### **CANADA**

## Benzyl benzoate (120-51-4)

Listed on the Canadian DSL (Domestic Substances List)

#### **Hexyl alcohol (111-27-3)**

Listed on the Canadian DSL (Domestic Substances List)

#### **Butylphenyl methylpropional (80-54-6)**

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

#### Benzyl benzoate (120-51-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### **Hexyl alcohol (111-27-3)**

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

## **Butylphenyl methylpropional (80-54-6)**

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### **National regulations**

#### Benzyl benzoate (120-51-4)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (National Chemicals Inventory)

2/2/2021 (Issue date) EN (English) 8/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **Hexyl alcohol (111-27-3)**

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (National Chemicals Inventory)

#### **Butylphenyl methylpropional (80-54-6)**

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (National Chemicals Inventory)

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Isobutyric acid(79-31-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List
Ethyl butyrate(105-54-4)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
Ethyl acetate(141-78-6)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List
Ethyl acetoacetate(141-97-9)	U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
Hexyl alcohol(111-27-3)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Refined Soybean oil, USP(8001-22-7)	U.S Pennsylvania - RTK (Right to Know) List
Ethyl caproate(123-66-0)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
Leaf alcohol(928-96-1)	U.S Pennsylvania - RTK (Right to Know) List
Benzyl acetate(140-11-4)	U.S New Jersey - Right to Know Hazardous Substance List

2/2/2021 (Issue date) EN (English) 9/10

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Other information : None.


Full text of H-statements	
H226	Flammable liquid and vapour.
H227	Combustible liquid
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H361	Suspected of damaging fertility or the unborn child.
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects.

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant

NFPA fire hazard : 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire

conditions.



Safety Data Sheet (SDS), USA

The data contained in this Safety Data Sheet is accurate to the best knowledge of the manufacturer, applies to the product as supplied by the manufacturer and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does the manufacturer assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact the supplier.