Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

lssue date: 07/30/2015 Revision date: 07/31/2020 Supersedes: 07/30/2015 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : Fresh Rain #TS100

Product code : TS100

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Perfumes, Fragrances Recommended use : Perfumes, Fragrances

1.3. Supplier

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil:

+0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation H315 Causes skin irritation

Category 2

Skin sensitization, H317 May cause an allergic skin reaction

Category 1

Reproductive toxicity H361 Suspected of damaging fertility or the unborn child

Category 2

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Warning

Hazard statements (GHS US) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H361 - Suspected of damaging fertility or the unborn child

Precautionary statements (GHS US) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P264 - Wash hands thoroughly after handling

P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear eye protection, face protection, protective clothing, protective gloves.

P308+P313 - If exposed or concerned: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

07/31/2020 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Butylphenyl methylpropional	(CAS-No.) 80-54-6	2.5 – 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Hexyl salicylate	(CAS-No.) 6259-76-3	1.5 – 3	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Terpineol	(CAS-No.) 8000-41-7	1 – 2	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Dihydromyrcenol	(CAS-No.) 18479-58-8	0.75 – 1.5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Lyral	(CAS-No.) 31906-04-4	0.5 – 1	Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Benzyl benzoate	(CAS-No.) 120-51-4	0.5 – 1	Acute Tox. 4 (Oral), H302

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical

advice/attention. Specific treatment (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation

: Not expected to present a significant hazard under anticipated conditions of normal use.

or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and

symptoms

Symptoms/effects

: Based on available data, the classification criteria are not met.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of : Toxic fumes may be released.

fire

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

07/31/2020 EN (English US) 2/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

Emergency procedures

: Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters.

Other information

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes.

Hygiene measures

Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool. Store locked up.

Incompatible products

: Strong bases. Strong acids.: Sources of ignition. Direct sunlight.

Incompatible materials

: Sources of Ignition. L

Storage temperature Storage area

: Store in a well-ventilated place. Store away from heat.

Special rules on packaging Packaging materials

Store in a closed container.Do not store in corrodable metal.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Fresh Rain #TS100

No additional information available

Dihydromyrcenol (18479-58-8)

No additional information available

Terpineol (8000-41-7)

No additional information available

Butylphenyl methylpropional (80-54-6)

No additional information available

07/31/2020 EN (English US) 3/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Lyral (31906-04-4)		
No additional information available		
Hexyl salicylate (6259-76-3)		
No additional information available		
Benzyl benzoate (120-51-4)		
USA - NIOSH - Occupational Exposure Limits		
NIOSH REL (TWA) (mg/m³)	≤	

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask. Wear respiratory protection.

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : light yellow amber
Odor : characteristic
Odor threshold : No data available
pH : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available

Flash point : > 93.33 °C (closed cup) ASTM D7094

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Non flammable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available

Relative density : ≈ 0.93

Solubility : No data available

07/31/2020 EN (English US) 4/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion limits** : No data available Explosive properties : No data available No data available Oxidizing properties

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

,		
Dihydromyrcenol (18479-58-8)		
LD50 oral rat	3600 mg/kg	
LD50 dermal rabbit	> 5 g/kg	
ATE US (oral)	3600 mg/kg body weight	
Terpineol (8000-41-7)		
LD50 oral rat	2900 mg/kg	
LD50 dermal rabbit	> 3000 mg/kg	
ATE US (oral)	2900 mg/kg body weight	
Butylphenyl methylpropional (80-54-	6)	
LD50 oral rat	1390 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
LC50 inhalation rat (mg/l)	> 1802 mg/m³ (Exposure time: 4 h)	
ATE US (oral)	1390 mg/kg body weight	
Lyral (31906-04-4)		
LD50 oral rat	3250 μl/kg	
ATE US (oral)	3250 mg/kg body weight	
Hexyl salicylate (6259-76-3)		
LD50 oral rat	> 5 g/kg	
Benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg	
LD50 dermal rabbit	4000 mg/kg	
ATE US (oral)	500 mg/kg body weight	

07/31/2020 EN (English US) 5/9

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Benzyl benzoate (120-51-4)	
ATE US (dermal)	4000 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
/iscosity, kinematic	: No data available
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
	: Irritation. May cause an allergic skin reaction.
ECTION 12: Ecological information 2.1. Toxicity Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment
2.1. Toxicity Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Ecology - general Butylphenyl methylpropional (80-54-6)	effects in the environment.
Ecology - general Butylphenyl methylpropional (80-54-6) LC50 fish 1	effects in the environment. 2.2 – 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
Ecology - general Butylphenyl methylpropional (80-54-6) LC50 fish 1 EC50 Daphnia 1	effects in the environment.
Ecology - general Butylphenyl methylpropional (80-54-6) LC50 fish 1 EC50 Daphnia 1 Benzyl benzoate (120-51-4)	effects in the environment. 2.2 – 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) 10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Ecology - general Butylphenyl methylpropional (80-54-6) LC50 fish 1 EC50 Daphnia 1 Benzyl benzoate (120-51-4) LC50 fish 1	effects in the environment. 2.2 – 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) 10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Ecology - general Butylphenyl methylpropional (80-54-6) LC50 fish 1 EC50 Daphnia 1 Benzyl benzoate (120-51-4)	effects in the environment. 2.2 – 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) 10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Ecology - general Butylphenyl methylpropional (80-54-6) LC50 fish 1 EC50 Daphnia 1 Benzyl benzoate (120-51-4) LC50 fish 1	effects in the environment. 2.2 – 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) 10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Ecology - general Butylphenyl methylpropional (80-54-6) LC50 fish 1 EC50 Daphnia 1 Benzyl benzoate (120-51-4) LC50 fish 1 NOEC (chronic)	effects in the environment. 2.2 – 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) 10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Ecology - general Butylphenyl methylpropional (80-54-6) LC50 fish 1 EC50 Daphnia 1 Benzyl benzoate (120-51-4) LC50 fish 1 NOEC (chronic) Persistence and degradability	effects in the environment. 2.2 – 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) 10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Ecology - general Butylphenyl methylpropional (80-54-6) LC50 fish 1 EC50 Daphnia 1 Benzyl benzoate (120-51-4) LC50 fish 1 NOEC (chronic) 2.2. Persistence and degradability Fresh Rain #TS100	2.2 – 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) 10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) 0.168 mg/l
Butylphenyl methylpropional (80-54-6) LC50 fish 1 EC50 Daphnia 1 Benzyl benzoate (120-51-4) LC50 fish 1 NOEC (chronic) 2.2. Persistence and degradability Fresh Rain #TS100 Persistence and degradability	2.2 – 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) 10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) 0.168 mg/l
Butylphenyl methylpropional (80-54-6) LC50 fish 1 EC50 Daphnia 1 Benzyl benzoate (120-51-4) LC50 fish 1 NOEC (chronic) Persistence and degradability Fresh Rain #TS100 Persistence and degradability Benzyl benzoate (120-51-4)	effects in the environment. 2.2 – 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) 10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) 0.168 mg/l Not established.
Butylphenyl methylpropional (80-54-6) LC50 fish 1 EC50 Daphnia 1 Benzyl benzoate (120-51-4) LC50 fish 1 NOEC (chronic) Persistence and degradability Fresh Rain #TS100 Persistence and degradability Benzyl benzoate (120-51-4) Persistence and degradability	effects in the environment. 2.2 – 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) 10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) 0.168 mg/l Not established.
Butylphenyl methylpropional (80-54-6) LC50 fish 1 EC50 Daphnia 1 Benzyl benzoate (120-51-4) LC50 fish 1 NOEC (chronic) 2.2. Persistence and degradability Fresh Rain #TS100 Persistence and degradability Benzyl benzoate (120-51-4) Persistence and degradability Benzyl benzoate (120-51-4) Persistence and degradability	2.2 – 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) 10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) 0.168 mg/l Not established.
Butylphenyl methylpropional (80-54-6) LC50 fish 1 EC50 Daphnia 1 Benzyl benzoate (120-51-4) LC50 fish 1 NOEC (chronic) 2.2. Persistence and degradability Fresh Rain #TS100 Persistence and degradability Benzyl benzoate (120-51-4) Persistence and degradability Benzyl benzoate (120-51-4) Persistence and degradability 3.3. Bioaccumulative potential Fresh Rain #TS100 Bioaccumulative potential	2.2 – 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) 10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) 0.168 mg/l Not established. May cause long-term adverse effects in the environment.
Butylphenyl methylpropional (80-54-6) LC50 fish 1 EC50 Daphnia 1 Benzyl benzoate (120-51-4) LC50 fish 1 NOEC (chronic) 2.2. Persistence and degradability Fresh Rain #TS100 Persistence and degradability Benzyl benzoate (120-51-4) Persistence and degradability Benzyl benzoate (120-51-4) Persistence and degradability 2.3. Bioaccumulative potential Fresh Rain #TS100	2.2 – 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) 10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) 0.168 mg/l Not established. May cause long-term adverse effects in the environment.
Butylphenyl methylpropional (80-54-6) LC50 fish 1 EC50 Daphnia 1 Benzyl benzoate (120-51-4) LC50 fish 1 NOEC (chronic) 2.2. Persistence and degradability Fresh Rain #TS100 Persistence and degradability Benzyl benzoate (120-51-4) Persistence and degradability Benzyl benzoate (120-51-4) Persistence and degradability 2.3. Bioaccumulative potential Fresh Rain #TS100 Bioaccumulative potential Butylphenyl methylpropional (80-54-6)	effects in the environment. 2.2 – 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) 10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) 0.168 mg/l Not established. May cause long-term adverse effects in the environment.
Butylphenyl methylpropional (80-54-6) LC50 fish 1 EC50 Daphnia 1 Benzyl benzoate (120-51-4) LC50 fish 1 NOEC (chronic) 2.2. Persistence and degradability Fresh Rain #TS100 Persistence and degradability Benzyl benzoate (120-51-4) Persistence and degradability Benzyl benzoate (120-51-4) Persistence and degradability 3.3. Bioaccumulative potential Fresh Rain #TS100 Bioaccumulative potential Butylphenyl methylpropional (80-54-6) Partition coefficient n-octanol/water (Log Pow)	effects in the environment. 2.2 – 4.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) 10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static]) 0.168 mg/l Not established. May cause long-term adverse effects in the environment.

07/31/2020 EN (English US) 6/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with local/national laws and regulations. Dispose

in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Other information : No supplementary information available.

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

Dihydromyrcenol (18479-58-8)

Listed on the Canadian DSL (Domestic Substances List)

Terpineol (8000-41-7)

Listed on the Canadian DSL (Domestic Substances List)

Butylphenyl methylpropional (80-54-6)

Listed on the Canadian DSL (Domestic Substances List)

Lyral (31906-04-4)

Listed on the Canadian DSL (Domestic Substances List)

Hexyl salicylate (6259-76-3)

Listed on the Canadian DSL (Domestic Substances List)

Benzyl benzoate (120-51-4)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Dihydromyrcenol (18479-58-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Terpineol (8000-41-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Butylphenyl methylpropional (80-54-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Lyral (31906-04-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

07/31/2020 EN (English US) 7/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hexyl salicylate (6259-76-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Benzyl benzoate (120-51-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Dihydromyrcenol (18479-58-8)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Terpineol (8000-41-7)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Butylphenyl methylpropional (80-54-6)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Lyral (31906-04-4)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Hexyl salicylate (6259-76-3)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Benzyl benzoate (120-51-4)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

07/31/2020 EN (English US) 8/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Refined Soybean oil, USP(8001-22-7)	U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 07/31/2020 Other information : None.

Full text of H-phrases:

H227	Combustible liquid
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects


NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

: 1 - Materials that must be preheated before ignition can

occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even

under fire conditions.



SDS US (GHS HazCom 2012)

NFPA fire hazard

The data contained in this Safety Data Sheet is accurate to the best knowledge of the manufacturer, applies to the product as supplied by the manufacturer and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does the manufacturer assume responsibility for use or reliance upon this data

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact the supplier.

07/31/2020 EN (English US) 9/9