

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## HYACINTH

Version number: GHS 3.0  
Replaces version of: 2023-12-13 (GHS 2)

Revision: 2025-03-11

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name **HYACINTH**  
Alternative number(s) TS108

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

#### 1.3 Details of the supplier of the safety data sheet

#### 1.4 Emergency telephone number

Emergency information service (800) 535-5053  
This number is only available during the following  
office hours: Mon-Fri 08:00 AM - 05:00 PM

InfoTrac contract number: H7V9634012.

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS07



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## HYACINTH

Version number: GHS 3.0  
Replaces version of: 2023-12-13 (GHS 2)

Revision: 2025-03-11

- Hazard statements  
H319 Causes serious eye irritation.
  
- Precautionary statements  
P280 Wear eye protection/face protection.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.

### 2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0.1\%$ .

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
PHENYL ETHYL ALCOHOL	CAS No 60-12-8	10 - < 25	Acute Tox. 4 / H302 Eye Irrit. 2 / H319
EUGENOL	CAS No 97-53-0	1 - < 5	Acute Tox. 4 / H302
BENZYL ALCOHOL	CAS No 100-51-6	1 - < 5	Acute Tox. 4 / H302 Acute Tox. 4 / H332
PHENYL ETHYL ACETATE	CAS No 103-45-7	< 1	Acute Tox. 2 / H330

### Remarks

For full text of abbreviations: see SECTION 16

## SECTION 4: First-aid measures

### 4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## HYACINTH

Version number: GHS 3.0  
Replaces version of: 2023-12-13 (GHS 2)

Revision: 2025-03-11

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## HYACINTH

Version number: GHS 3.0  
Replaces version of: 2023-12-13 (GHS 2)

Revision: 2025-03-11

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of substance	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
US	ethanoic acid phenylmethyl ester	140-11-4	PEL (CA)	10	61						Cal/OSHA PEL
US	ethanoic acid phenylmethyl ester	140-11-4	TLV®	10							ACGIH® 2024
US	2-phenylethanol	60-12-8	TLV®	0.5						H	ACGIH® 2024
US	1,2-diethyl benzene-1,2-dicarboxylate	84-66-2	PEL (CA)		5						Cal/OSHA PEL
US	1,2-diethyl benzene-1,2-dicarboxylate	84-66-2	REL		5 (10 h)						NIOSH REL
US	1,2-diethyl ben-	84-66-2	TLV®		5						ACGIH®

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## HYACINTH

Version number: GHS 3.0  
Replaces version of: 2023-12-13 (GHS 2)

Revision: 2025-03-11

### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of substance	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
	zene-1,2-dicarboxylate										2024

#### Notation

Ceiling-C	ceiling value is a limit value above which exposure should not occur
H	absorbed through the skin
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

## 8.2 Exposure controls

### Appropriate engineering controls

General ventilation.

### Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection.

#### Skin protection

##### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid
Color	clear
Particle	not relevant (liquid)

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## HYACINTH

Version number: GHS 3.0  
Replaces version of: 2023-12-13 (GHS 2)

Revision: 2025-03-11

Odor	Comparable to standard
------	------------------------

### Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	401.5 °F at 1,013 hPa
Flash point	201 °F
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	10 kPa at 143.6 °C
Density	1.054 g/ml at 25 °C
Vapor density	this information is not available
Solubility(ies)	not determined

### Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	428 °F (auto-ignition temperature (liquids and gases))
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

### 9.2 Other information

Liquid content	79.36 %
Solid content	20.64 %
Temperature class (USA, acc. to NEC 500)	T2D (maximum permissible surface temperature on the equipment: 215°C)

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

### 10.2 Chemical stability

See below "Conditions to avoid".

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## HYACINTH

Version number: GHS 3.0  
Replaces version of: 2023-12-13 (GHS 2)

Revision: 2025-03-11

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed.

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## HYACINTH

Version number: GHS 3.0  
Replaces version of: 2023-12-13 (GHS 2)

Revision: 2025-03-11

### SECTION 12: Ecological information

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0.1\%$ .

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

#### 12.7 Other adverse effects

Data are not available.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### SECTION 14: Transport information

#### 14.1 UN number

DOT	UN 3082
IMDG-Code	UN 3082
ICAO-TI	UN 3082

#### 14.2 UN proper shipping name

DOT	Environmentally hazardous substance, liquid, n.o.s.
IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
ICAO-TI	Environmentally hazardous substance, liquid, n.o.s.

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## HYACINTH

Version number: GHS 3.0  
Replaces version of: 2023-12-13 (GHS 2)

Revision: 2025-03-11

Technical name (hazardous ingredients)	TERPINEOL 900, AMYL CINNAMIC ALDEHYDE
<b>14.3 Transport hazard class(es)</b>	
DOT	9
IMDG-Code	9
ICAO-TI	9
<b>14.4 Packing group</b>	
DOT	III
IMDG-Code	III
ICAO-TI	III
<b>14.5 Environmental hazards</b>	hazardous to the aquatic environment
Environmentally hazardous substance (aquatic environment)	TERPINEOL 900, AMYL CINNAMIC ALDEHYDE
<b>14.6 Special precautions for user</b>	
There is no additional information.	
<b>14.7 Transport in bulk according to IMO instruments</b>	
The cargo is not intended to be carried in bulk.	
<b><u>Information for each of the UN Model Regulations</u></b>	
<b>Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information</b>	
Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: TERPINEOL 900, AMYL CINNAMIC ALDEHYDE), 9, III
Danger label(s)	9, fish and tree
	
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	8, 146, 173, 335, 441, IB3, T4, TP1, TP29
ERG No	171
<b>International Maritime Dangerous Goods Code (IMDG) - Additional information</b>	
Marine pollutant	yes (hazardous to the aquatic environment) (BENZYL ACETATE)
Danger label(s)	9, fish and tree
	
Special provisions (SP)	274, 335, 375, 969
Excepted quantities (EQ)	E1

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## HYACINTH

Version number: GHS 3.0  
Replaces version of: 2023-12-13 (GHS 2)

Revision: 2025-03-11

Limited quantities (LQ) 5 L  
EmS F-A, S-F  
Stowage category A

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Environmental hazards YES (hazardous to the aquatic environment)  
Danger label(s) 9, fish and tree



Special provisions (SP) A97, A158, A197, A215  
Excepted quantities (EQ) E1  
Limited quantities (LQ) 30 kg

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations specific for the product in question

#### National regulations (United States)

##### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

#### Clean Air Act

none of the ingredients are listed

#### Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
2-methoxy-4-(prop-2-en-1-yl)phenol	97-53-0		EU Fragrance Allergens
phenylmethanol	100-51-6		EU Fragrance Allergens

- Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
BENZYL ALCOHOL	100-51-6	I	

#### Legend

I American Industrial Hygiene Association (AIHA), "Workplace Environmental Exposure Level Guides" (1992), available from AIHA

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## HYACINTH

Version number: GHS 3.0  
Replaces version of: 2023-12-13 (GHS 2)

Revision: 2025-03-11

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
BENZENEMETHANOL	100-51-6	

### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

### Industry or sector specific available guidance(s)

#### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

#### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information, including date of preparation or last revision

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.1		Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200): change in the listing (table)	yes

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## HYACINTH

Version number: GHS 3.0  
Replaces version of: 2023-12-13 (GHS 2)

Revision: 2025-03-11

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.2	- Signal word: danger	- Signal word: warning	yes
2.2		- Pictograms: change in the listing (table)	yes
2.2		- Hazard statements: change in the listing (table)	yes
2.2		- Precautionary statements: change in the listing (table)	yes
2.3	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$ .	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$ .	yes
3.2		Description of the mixture: change in the listing (table)	yes
3.2		Remarks: For full text of abbreviations: see SECTION 16	yes
7.2	- Ventilation requirements: Keep any substance that emits harmful vapors or gases in a place that allows these to be permanently extracted.		yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
11.1	Acute toxicity: Toxic if inhaled.GHS of the United Nations, annex 4: May be harmful if swallowed.	Acute toxicity: Shall not be classified as acutely toxic.GHS of the United Nations, annex 4: May be harmful if swallowed.	yes
11.1		- Acute toxicity estimate (ATE): change in the listing (table)	yes
12.5	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$ .	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0.1\%$ .	yes
14.1	DOT: UN 2810	DOT: UN 3082	yes
14.1	IMDG-Code: UN 2810	IMDG-Code: UN 3082	yes
14.1	ICAO-TI: UN 2810	ICAO-TI: UN 3082	yes
14.2	DOT: Toxic liquid, organic, n.o.s.	DOT: Environmentally hazardous substance, liquid, n.o.s.	yes
14.2	IMDG-Code: TOXIC LIQUID, ORGANIC, N.O.S.	IMDG-Code: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	yes
14.2	ICAO-TI: Toxic liquid, organic, n.o.s.	ICAO-TI: Environmentally hazardous substance, liquid, n.o.s.	yes
14.2	Technical name (hazardous ingredients):	Technical name (hazardous ingredients):	yes

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## HYACINTH

Version number: GHS 3.0  
Replaces version of: 2023-12-13 (GHS 2)

Revision: 2025-03-11

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
	PHENYL ETHYL ALCOHOL, STYRALLYL ALCOHOL	TERPINEOL 900, AMYL CINNAMIC ALDEHYDE	
14.3	DOT: 6.1	DOT: 9	yes
14.3	IMDG-Code: 6.1	IMDG-Code: 9	yes
14.3	ICAO-TI: 6.1	ICAO-TI: 9	yes
14.5	Environmentally hazardous substance (aquatic environment): BENZYL ACETATE	Environmentally hazardous substance (aquatic environment): TERPINEOL 900, AMYL CINNAMIC ALDEHYDE	yes
14.7	Particulars in the shipper's declaration: UN2810, Toxic liquid, organic, n.o.s., (contains: PHENYL ETHYL ALCOHOL, STYRALLYL ALCOHOL), 6.1, III, environmentally hazardous	Particulars in the shipper's declaration: UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: TERPINEOL 900, AMYL CINNAMIC ALDEHYDE), 9, III	yes
14.7	Danger label(s): 6.1, fish and tree	Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): IB3, T7, TP1, TP28	Special provisions (SP): 8, 146, 173, 335, 441, IB3, T4, TP1, TP29	yes
14.7	ERG No: 153	ERG No: 171	yes
14.7	Danger label(s): 6.1, fish and tree	Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): 223, 274	Special provisions (SP): 274, 335, 375, 969	yes
14.7	EmS: F-A, S-A	EmS: F-A, S-F	yes
14.7	Danger label(s): 6.1	Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): A3, A4, A137	Special provisions (SP): A97, A158, A197, A215	yes
14.7	Limited quantities (LQ): 2 L	Limited quantities (LQ): 30 kg	yes

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## HYACINTH

Version number: GHS 3.0  
Replaces version of: 2023-12-13 (GHS 2)

Revision: 2025-03-11

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2024	From ACGIH®, 2024 TLVs® and BEIs® Book. Copyright 2024. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: <a href="http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement">http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement</a>
Acute Tox.	Acute toxicity
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DOT	Department of Transportation (USA)
ED	Endocrine disruptor
EmS	Emergency Schedule
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## HYACINTH

Version number: GHS 3.0  
Replaces version of: 2023-12-13 (GHS 2)

Revision: 2025-03-11

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

