Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Print date: 7/26/2023

1.1. Identification Product form :: Mixture Trade name :: Bergamot Clarity #TS183 Product code :: TS183 1.2. Recommended use and restrictions on use Use of the substance/mixture :: Perfumes, fragrances Recommended use :: Perfumes, fragrances 1.3. Supplior 1.4. Emorgency telephone number Emergency rumber :: 1.800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731 SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS-US classification Paramable liquids, Category 4 Kin sensitiation, Category 2 Setious eye damage/eye irritation, Category 2A Kin sensitiation, Category 2 Kin sensitiation, Category 2 Stim sensitiation, Category 2 Stim sensitiation, Category 2 Kin sensitiation, Category 2 Kin sensitiation, Category 2 Kin sensitiation, Category 2 Kin sensitiation, Category 3 Full text of H-statements: see section 16 2.2. CHS Label elements, including precautionary statements CHS US labeling Hazard pictograms (GHS US) :: Waming	SECTION 1: Identification	
Trade name :: Bergamot Clarity #TS183 Product code :: TS183 12. Recommended use and restrictions on use	1.1. Identification	
Use of the substance/mixture : Perfumes, fragrances Recommended use : Perfumes, fragrances 1.3. Supplier 1.4. Emergency telephone number Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731 +0-800-591-6042; India: +000-800-100-4086 SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS-US classification Flammable liquid, Category 4 Serious eye damage/eye irritation, Category 2 Serious eye damage/eye irritation, Category 2 Kin sensitisation, Category 1 Full text of H-statements: see section 16 2.2. GHS Label elements, including precautionary statements GHS US labeling Hazard pictograms (GHS US) : :	Trade name	: Bergamot Clarity #TS183
Recommended use : Perfumes, fragrances 1.3. Supplier 1.4. Emergency telephone number Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731 +0-800-591-6042; India: +000-800-100-4086 SECTION 2: Hazard(s) identification 21. Classification of the substance or mixture GHS-US classification Flammable liquids, Category 4 Skin corrosion/irritation, Category 2 H315 Causes skin irritation. Section 2, Category 1 H317 May cause an allergic skin reaction. Skin sensitisation, Category 2 H317 Kin sensitisation, Category 1 H317 Full text of H-statements: isee section 16 E 22. GHS Label elements, including precautionary statements E CHS US labelling H327 Hazard pictograms (GHS US) ::	1.2. Recommended use and restrictions	on use
1.4. Emergency telephone number Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731 +0-800-591-6042; India: +000-800-100-4086 SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS-US classification Flammable liquids, Category 4 Kin corrosion/irritation, Category 2 H315 Causes skin irritation. Skin sensitisation, Category 1 H317 May cause an allergic skin reaction. Full text of H-statements: see section 16 2.2. GHS Label elements, including precautionary statements GHS US labelling Hazard pictograms (GHS US) ::		-
Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731 +0-800-591-6042; India: +000-800-100-4086 SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS-US classification Flammable liquids, Category 4 H227 Combustible liquid Skin corrosion/iritation, Category 2 H315 Causes skin iritation. Serious eye damage/eye irritation, Category 2A H319 Causes serious eye irritation. Skin sensitisation, Category 1 H317 May cause an allergic skin reaction. Full text of H-statements: see section 16 2.2. GHS Label elements, including precautionary statements GHS US labeling Hazard pictograms (GHS US) :	1.3. Supplier	
+0-800-591-6042; India: +000-800-100-4086 SECTION 2: Hazard(s) identification A.L Classification of the substance or mixture GHS-US classification Flammable liquids, Category 4 H227 Combustible liquid Skin corrosion/irritation, Category 2 H315 Causes skin irritation. Serious eye damage/eye irritation, Category 2A H319 Causes serious eye irritation. Skin sensitisation, Category 1 H317 May cause an allergic skin reaction. Full text of H-statements: see section 16 2.2. GHS Label elements, including precautionary statements GHS US labeling Hazard pictograms (GHS US)	1.4. Emergency telephone number	
2.1. Classification of the substance or mixture GHS-US classification Flammable liquids, Category 4 Skin corrosion/irritation, Category 2 H315 Causes skin irritation. Serious eye damage/eye irritation, Category 2A H319 Skin sensitisation, Category 1 H317 Kull text of H-statements: see section 16 2.2. GHS Label elements, including precautionary statements GHS US labelling Hazard pictograms (GHS US)	Emergency number	: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086
GHS-US classification Flammable liquids, Category 4 H227 Combustible liquid Skin corrosion/irritation, Category 2 H315 Causes skin irritation. Serious eye damage/eye irritation, Category 2A H319 Causes serious eye irritation. Skin sensitisation, Category 1 H317 May cause an allergic skin reaction. Full text of H-statements: see section 16 End to the statements is easily in the statements CHS US label elements, including precautionary statements GHS US labelling Hazard pictograms (GHS US) :	SECTION 2: Hazard(s) identification	
Flammable liquids, Category 4 H227 Combustible liquid Skin corrosion/irritation, Category 2 H315 Causes skin irritation. Serious eye damage/eye irritation, Category 2A H319 Causes serious eye irritation. Skin sensitisation, Category 1 H317 May cause an allergic skin reaction. Full text of H-statements: see section 16 E E CHS Label elements, including precautionary statements GHS US labelling Hazard pictograms (GHS US) :	2.1. Classification of the substance or mi	ixture
GHS US labelling Hazard pictograms (GHS US) : .	Flammable liquids, Category 4 Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 2A Skin sensitisation, Category 1	H315Causes skin irritation.H319Causes serious eye irritation.
Hazard pictograms (GHS US)	2.2. GHS Label elements, including preca	autionary statements
	GHS US labelling	
Signal word (GHS US) : Warning	Hazard pictograms (GHS US)	
Hazard statements (GHS US) : H227 - Combustible liquid H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.		: H227 - Combustible liquid H315 - Causes skin irritation. H317 - May cause an allergic skin reaction.
	Precautionary statements (GHS US)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands thoroughly after handling

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0	8.4 – 16.75	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Linalyl acetate	CAS-No.: 115-95-7	6.4 – 12.8025	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	CAS-No.: 63500-71-0	6.3 – 12.5081	Eye Irrit. 2A, H319
Linalool	CAS-No.: 78-70-6	3 – 6.0055	Flam. Liq. 4, H227 Skin Sens. 1, H317 Aquatic Acute 3, H402
Lemon terpenes	CAS-No.: 68917-33-9	2.3 – 4.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Sandela	CAS-No.: 66068-84-6	1.3 – 2.6	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Orange oil	CAS-No.: 8008-57-9	0.8 – 1.6738	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Hydroxy	CAS-No.: 107-75-5	0.8 – 1.6	Eye Irrit. 2A, H319 Skin Sens. 1B, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after eye contact	If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash with plenty of water/ Wash contaminated clothing before reuse. Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects (ad	cute and delayed)
symptomsSymptoms/effectsSymptoms/effects after inhalationSymptoms/effects after skin contact	Based on available data, the classification criteria are not met. Not expected to present a significant hazard under anticipated conditions of normal use. May cause an allergic skin reaction. Causes skin irritation. Causes serious eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measure	es
5.1. Suitable (and unsuitable) extingu	lishing media
Suitable extinguishing media Unsuitable extinguishing media 5.2. Specific hazards arising from the	 Foam. Dry powder. Carbon dioxide. Water spray. Sand. Do not use a heavy water stream.
Fire hazard Explosion hazard 5.3. Special protective equipment and	Combustible liquid. May form flammable/explosive vapour-air mixture.
Firefighting instructions Protection during firefighting	 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective	equipment and emergency procedures	
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment Emergency procedures	Equip cleanup crew with proper protection.Ventilate area.	
6.2. Environmental precautions		

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
6.4. Reference to other sections		
See Section 8. Exposure controls and personal protec	tion.	

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust/fume/gas/mist/vapours/spray. No open flames. No smoking.
Hygiene measures	 Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	:	Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	:	Keep only in the original container in a cool, well ventilated place away from : Keep away from
		heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container
		closed when not in use. Keep in fireproof place.
Incompatible products	:	Strong bases. Strong acids.
Incompatible materials	:	Sources of ignition. Direct sunlight. Heat sources.
Storage temperature	:	25 °C
Storage area	:	Store in a well-ventilated place. Store away from heat.
Special rules on packaging	:	Store in a closed container.
Packaging materials	:	Do not store in corrodable metal.

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sandela (66068-84-6)
No additional information available
Orange oil (8008-57-9)
No additional information available
Hydroxy (107-75-5)
No additional information available
8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:
Wear protective gloves.
Eye protection:
Chemical goggles or safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
Wear appropriate mask
Personal protective equipment symbol(s):

Other information: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow amber
Odour	: characteristic
Odour threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 80.7 °C
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Not applicable. Combustible liquid.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Solubility:Partition coefficient n-octanol/water (Log Pow):Auto-ignition temperature:Decomposition temperature:Viscosity, kinematic:Viscosity, dynamic:Explosive limits:	No data available No data available
Explosive properties	No data available No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
Combustible liquid. May form flammable/explosive vapour-air mixture.
10.3. Possibility of hazardous reactions
Not established.
10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.
10.5. Incompatible materials
Strong acids. Strong bases.
10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (dermal) :	Not classified Not classified Not classified
Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l/4h
ATE US (oral)	3100 mg/kg bodyweight

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
ATE US (oral)	14550 mg/kg bodyweight
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	(63500-71-0)
LD50 dermal rabbit	> 2000 mg/kg
Linalool (78-70-6)	
LD50 oral	2790 mg/kg bodyweight
Sandela (66068-84-6)	
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 5.27 mg/l/4h
Orange oil (8008-57-9)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
ATE US (oral)	4400 mg/kg bodyweight
Hydroxy (107-75-5)	
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 2000 mg/kg
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified
Viscosity, kinematic	No data available
Orange oil (8008-57-9)	
Hydrocarbon	Yes
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met.
	Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	May cause an allergic skin reaction.
Symptoms/effects after skin contact	Causes skin irritation.
	Causes serious eye irritation.
	Causes serious eye irritation.

SECTION 12: Ecological information	
12.1. Toxicity	
Linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
12.2. Persistence and degradability	
Bergamot Clarity #TS183	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Bergamot Clarity #TS183	
Bioaccumulative potential	Not established.
Linalyl acetate (115-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)
2-IsobutyI-4-methyItetrahydro-2H-pyran-4-ol (63500-71-0)	
Partition coefficient n-octanol/water (Log Pow)	1.65 (at 23 °C (at pH >6.09-<6.74)
Hydroxy (107-75-5)	
Partition coefficient n-octanol/water (Log Pow)	1.68 (at 25 °C)
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other information :	Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations. Additional information : Handle empty containers with care because residual vapours are flammable. Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

Not regulated for transport	
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Not applicable
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT)	: Not applicable
14.4. Packing group	
Packing group (DOT)	: Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.5. Environmental hazards

Other information

: No supplementary information available.

14.6. Special precautions for user

DOT

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations	
CANADA	
Hexyl cinnamic aldehyde (101-86-0)	
Listed on the Canadian DSL (Domestic Substances List)	
Linalyl acetate (115-95-7)	
Listed on the Canadian DSL (Domestic Substances List)	
2-IsobutyI-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)	
Listed on the Canadian DSL (Domestic Substances List)	
Linalool (78-70-6)	
Listed on the Canadian DSL (Domestic Substances List)	
Lemon terpenes (68917-33-9)	
Listed on the Canadian DSL (Domestic Substances List)	
Sandela (66068-84-6)	
Listed on the Canadian DSL (Domestic Substances List)	
Orange oil (8008-57-9)	
Listed on the Canadian DSL (Domestic Substances List)	
Hydroxy (107-75-5)	

Listed on the Canadian DSL (Domestic Substances List)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EU-Regulations

Hexyl cinnamic aldehyde (101-86-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Linalyl acetate (115-95-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Linalool (78-70-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sandela (66068-84-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Hydroxy (107-75-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Hexyl cinnamic aldehyde (101-86-0)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemical Inventory) Listed on Thailand Existing Chemicals Inventory (DIW)

Linalyl acetate (115-95-7)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

- Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
- Listed on NZIoC (New Zealand Inventory of Chemicals)
- Listed on the Japanese ISHL (Industrial Safety and Health Law)
- Listed on INSQ (Mexican National Inventory of Chemical Substances)
- Listed on the TCSI (Taiwan Chemical Substance Inventory)
- Listed on the NCI (Vietnam National Chemical Inventory)
- Listed on Thailand Existing Chemicals Inventory (DIW)

2-lsobutyl-4-methyltetrahydro-2H-pyran-4-ol (63500-71-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Linalool (78-70-6)

- Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
- Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
- Listed on the Japanese ENCS (Existing New Chemical Substances) inventory
- Listed on KECL/KECI (Korean Existing Chemicals Inventory)
- Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
- Listed on NZIoC (New Zealand Inventory of Chemicals)
- Listed on the Japanese ISHL (Industrial Safety and Health Law)
- Listed on INSQ (Mexican National Inventory of Chemical Substances)
- Listed on the TCSI (Taiwan Chemical Substance Inventory)
- Listed on the NCI (Vietnam National Chemical Inventory)
- Listed on Thailand Existing Chemicals Inventory (DIW)

Lemon terpenes (68917-33-9)

- Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
- Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
- Listed on KECL/KECI (Korean Existing Chemicals Inventory)
- Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
- Listed on NZIoC (New Zealand Inventory of Chemicals)
- Listed on the TCSI (Taiwan Chemical Substance Inventory)
- Listed on the NCI (Vietnam National Chemical Inventory)
- Listed on Thailand Existing Chemicals Inventory (DIW)

Sandela (66068-84-6)

- Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
- Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
- Listed on the Japanese ENCS (Existing New Chemical Substances) inventory
- Listed on KECL/KECI (Korean Existing Chemicals Inventory)
- Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
- Listed on NZIoC (New Zealand Inventory of Chemicals)
- Listed on the Japanese ISHL (Industrial Safety and Health Law)
- Listed on the TCSI (Taiwan Chemical Substance Inventory)
- Listed on the NCI (Vietnam National Chemical Inventory)
- Listed on Thailand Existing Chemicals Inventory (DIW)

Orange oil (8008-57-9)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

- Listed on the Japanese ISHL (Industrial Safety and Health Law)
- Listed on INSQ (Mexican National Inventory of Chemical Substances)
- Listed on the TCSI (Taiwan Chemical Substance Inventory)
- Listed on the NCI (Vietnam National Chemical Inventory)
- Listed on Thailand Existing Chemicals Inventory (DIW)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hydroxy (107-75-5)

- Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
- Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
- Listed on the Japanese ENCS (Existing New Chemical Substances) inventory
- Listed on KECL/KECI (Korean Existing Chemicals Inventory)
- Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
- Listed on NZIoC (New Zealand Inventory of Chemicals)
- Listed on the Japanese ISHL (Industrial Safety and Health Law)
- Listed on the TCSI (Taiwan Chemical Substance Inventory)
- Listed on the NCI (Vietnam National Chemical Inventory)
- Listed on Thailand Existing Chemicals Inventory (DIW)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Refined Soybean oil(8001-22-7)	U.S Pennsylvania - RTK (Right to Know) List
Benzyl acetate(140-11-4)	U.S New Jersey - Right to Know Hazardous Substance List
1,2-Propanediol(57-55-6)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Glycerine(56-81-5)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
Dipentene(138-86-3)	U.S New Jersey - Right to Know Hazardous Substance List
.alphaPinene(80-56-8)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
Aldehyde C-8(124-13-0)	U.S Massachusetts - Right To Know List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Other information : None.

Full text of H-statements	
H226	Flammable liquid and vapour.
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H402	Harmful to aquatic life

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-statements		
H411	Toxic to aquatic life with long lasting effects.	
NFPA health hazard	d : 1 - Materials that, under emergency conditions, can cause significant irritation.	
NFPA fire hazard	: 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.	
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.	

SDS US _MACHINE_GENERATED

The data contained in this Safety Data Sheet is accurate to the best knowledge of the manufacturer, applies to the product as supplied by the manufacturer and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does the manufacturer assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact the supplier.

Fillmore Container