Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 3/16/2015 Revision date: 5/23/2024 Supersedes: 8/31/2022 Version: 2.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Trade name : Iced Lemon Biscotti #TS016

Product code : TS016

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Perfumes, Fragrances Recommended use : Perfumes, Fragrances

1.3. Supplier

1.4. Emergency telephone number

Emergency number

+0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 4	H227	Combustible liquid
Acute toxicity (oral) Category 4	H302	Harmful if swallowed
Skin corrosion/irritation Category 2	H315	Causes skin irritation

Skin sensitization, Category 1 H317 May cause an allergic skin reaction

Reproductive toxicity Category 2 H361 Suspected of damaging fertility or the unborn child Aspiration hazard Category 1 H304 May be fatal if swallowed and enters airways Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : H227 - Combustible liquid H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H361 - Suspected of damaging fertility or the unborn child

Precautionary statements (GHS US) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
benzyl benzoate	CAS-No.: 120-51-4	10.1 – 20.18	Acute Tox. 4 (Oral), H302
Orange oil	CAS-No.: 8008-57-9	6 – 12	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Ethyl vanillin	CAS-No.: 121-32-4	2.5 – 5	Acute Tox. 4 (Oral), H302
benzyl alcohol	CAS-No.: 100-51-6	2-4	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319
Orange Oil	CAS-No.: 8028-48-6	1 – 2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Ethyl maltol	CAS-No.: 4940-11-8	0.9 – 1.8	Acute Tox. 4 (Oral), H302
Anisic aldehyde	CAS-No.: 123-11-5	0.9 – 1.7	Acute Tox. 4 (Oral), H302
Aldehyde C-10	CAS-No.: 112-31-2	0.5 – 1	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Chronic 3, H412
Lime oil distilled	CAS-No.: 8008-26-2	0.3 – 0.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361 Asp. Tox. 1, H304
Butylated hydroxytoluene (BHT) crystals	CAS-No.: 128-37-0	0.3 – 0.5	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see supplemental first aid instruction on this label). Wash contaminated

clothing before reuse. If skin irritation occurs: Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse immediately

with plenty of water. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion : Call a POISON CENTER or doctor/physician if you feel unwell. Do NOT induce vomiting. Rinse mouth. Immediately call a poison center or doctor/physician. Obtain emergency medical

attention.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and

Symptoms/effects after inhalation

Symptoms/effects after skin contact

Symptoms/effects after eye contact

Symptoms/effects after ingestion

symptoms

Symptoms/effects

: Harmful if swallowed. Based on available data, the classification criteria are not met.

: Suspected of damaging fertility or the unborn child. Not expected to present a significant hazard under anticipated conditions of normal use.

: May cause an allergic skin reaction.

: Causes skin irritation.

: Eye irritation.

 Swallowing a small quantity of this material will result in serious health hazard. May be fatal if swallowed and enters airways.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Sand. Foam. Dry powder. Carbon dioxide. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.

Explosion hazard : May form flammable/explosive vapor-air mixture.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No

smoking.

5/23/2024 (Revision date) EN (English US) 3/16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

Hygiene measures

Incompatible products

: Handle empty containers with care because residual vapors are flammable. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

: No open flames. No smoking. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid breathing dust/fume/gas/mist/vapors/spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

: Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Strong bases. Strong acids.

Storage conditions : Keep in fireproof place. Keep only in the original container in a cool, well ventilated place away

from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Keep container closed when not in use.

Incompatible materials : Heat sources. Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.
Packaging materials : Do not store in corrodable metal.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

benzyl alcohol (100-51-6)	
USA - AIHA - Occupational Exposure Limits	
WEEL TWA 10 ppm	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Butylated hydroxytoluene (BHT) crystals (128-37-0)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA 2 mg/m³ (inhalable fraction and vapor)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
USA - NIOSH - Occupational Exposure Limits		
NIOSH REL (TWA) 10 mg/m³		

8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand	protection:
------	-------------

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection. Wear appropriate mask

Personal protective equipment symbol(s):





Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : light yellow amber
Odor : characteristic
Odor threshold : No data available
pH : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Boiling point : No data available

Flash point : 71 °C (closed cup) ASTM D7094

Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas) : Not applicable. Combustible liquid.

Vapor pressure : No data available Relative vapor density at 20°C : No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density : ≈ 1.04

Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available No data available Viscosity, dynamic No data available **Explosion limits** Explosive properties No data available Oxidizing properties No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Combustible liquid. May form flammable/explosive vapor-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks. Extremely high or low temperatures

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Iced Lemon Biscotti #TS016		
ATE US (oral)	1762.516 mg/kg body weight	
benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	1160 mg/kg body weight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
ATE US (oral)	500 mg/kg body weight	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### ADD mg/kg body weight ### Ethyl vanillin (121-32-4) LD50 oral rat ### 1590 mg/kg (Source: NLM_CIP) LD50 oral	benzyl benzoate (120-51-4)		
1590 mg/kg (Source: NLM_CIP)	ATE US (dermal)	4000 mg/kg body weight	
D50 oral 3000 mg/kg body weight 2000 mg/kg (Source: ECHA_API)	Ethyl vanillin (121-32-4)		
LD50 dermal rat	LD50 oral rat	1590 mg/kg (Source: NLM_CIP)	
ATE US (oral) 1590 mg/kg body weight Lime oil distilled (8008-26-2) LD50 oral rat 5600 mg/kg ATE US (oral) 5600 mg/kg ATE US (oral) 5600 mg/kg body weight Orange Oil (8028-48-6) LD50 dermal rabbit > 5000 mg/kg (Source: ECHA_API) Aldehyde C-10 (112-31-2) LD50 oral rat 3730 mg/kg (Source: NLM_HSDB) LD50 dermal rabbit 5040 mg/kg (Source: NLM_HSDB) ATE US (oral) 3730 mg/kg body weight 5040 mg/kg (Source: NLM_HSDB) ATE US (oral) 3730 mg/kg body weight 5040 mg/kg (Source: NLM_HSDB) ATE US (oral) 5040 mg/kg (Source: NLM_HSDB) ATE US (oral) 5040 mg/kg (Source: NLZ_CCID) LD50 oral rat 4400 mg/kg (Source: NZ_CCID) LD50 dermal rabbit 5000 mg/kg (Source: NZ_CCID) LD50 dermal rabbit 5000 mg/kg (Source: CHEMVIEW) ATE US (oral) 4400 mg/kg (Source: ECHA) LD50 oral rat 3210 mg/kg body weight 5000 mg/kg (Source: ECHA) LD50 oral rat 3210 mg/kg (Source: ECHA) LD50 dermal rabbit 5000 mg/kg (Source: ECHA) LD50 dermal rabbit 5000 mg/kg (Source: ECHA) LD50 oral rat 5000 mg/kg (Source: ECHA) ATE US (oral) 5000 mg/kg (Source: ECHA, API) ATE US (oral) 5000 mg/kg (Source: ECHA_API) ATE US (oral) 1500 mg/kg (Source: ECHA_API)	LD50 oral	3000 mg/kg body weight	
Lime oil distilled (8008-26-2)	LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
LD50 oral rat	ATE US (oral)	1590 mg/kg body weight	
D50 dermal rabbit S5000 mg/kg body weight	Lime oil distilled (8008-26-2)		
ATE US (oral) 5600 mg/kg body weight Orange Oil (8028-48-6) LD50 dermal rabbit > 5000 mg/kg (Source: ECHA_API) Aldehyde C-10 (112-31-2) LD50 oral rat 3730 mg/kg (Source: NLM_HSDB) LD50 dermal rabbit 5040 mg/kg (Source: NLM_HSDB) ATE US (oral) 3730 mg/kg body weight 5040 mg/kg (Source: NLM_HSDB) 5040 mg/kg body weight 5040 mg/kg body weight 5040 mg/kg body weight 5040 mg/kg (Source: CHEMVIEW) 5040 mg/kg (Source: CHEMVIEW) 5040 mg/kg (Source: CHEMVIEW) 5040 mg/kg (Source: ECHA) 5040 mg/kg body weight 5040 mg/kg body weight 5040 mg/kg (Source: EPA_HPV) 5040 mg/kg body weight 5040 mg/kg (Source: EPA_HPV) 5040 mg/kg body weight 5040 mg/kg (Source: ECHA) 5040 mg/kg body weight 5040 mg/kg body weight 5040 mg/kg (Source: ECHA) 5040 mg/kg (Source: ECHA) 5040 mg/kg (Source: ECHA_API) 5040 mg/kg (LD50 oral rat	5600 mg/kg	
Drange Oil (8028-48-6) LD50 dermal rabbit > 5000 mg/kg (Source: ECHA_API)	LD50 dermal rabbit	> 5000 mg/kg	
Aldehyde C-10 (112-31-2)	ATE US (oral)	5600 mg/kg body weight	
Aldehyde C-10 (112-31-2) LD50 oral rat 13730 mg/kg (Source: NLM_HSDB) ATE US (oral) 3730 mg/kg (Source: NLM_HSDB) ATE US (dermal) 5040 mg/kg body weight ATE US (dermal) 5040 mg/kg (Source: NZ_CCID) LD50 oral rat 4400 mg/kg (Source: NZ_CCID) LD50 dermal rabbit > 5000 mg/kg (Source: CHEMVIEW) Anisic aldehyde (123-11-5) LD50 oral rat 3210 mg/kg (Source: ECHA) LD50 oral rat 3210 mg/kg (Source: EPA_HPV) LC50 Inhalation - Rat > 0.32 mg/l (Exposure time: 7 h Source: ECHA) ATE US (oral) 5000 mg/kg (Source: NLM_CIP) LD50 oral rat 1150 mg/kg (Source: NLM_CIP) LD50 oral rat 1150 mg/kg (Source: ECHA_API) ATE US (oral) 1150 mg/kg (Source: ECHA_API) ATE US (oral) 1200 mg/kg (Source: ECHA_API) ATE US (oral) 1200 mg/kg (Source: ECHA_API) ATE US (oral) 1200 mg/kg (Source: NLM_CIP) LD50 oral rat 1200 mg/kg (Source: ECHA_API) ATE US (oral) 1570 mg/kg (Source: NLM_CIP)	Orange Oil (8028-48-6)		
LD50 oral rat	LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
LD50 dermal rabbit 5040 mg/kg (Source: NLM_HSDB) ATE US (oral) 3730 mg/kg body weight ATE US (dermal) 5040 mg/kg body weight Orange oil (8008-57-9) LD50 oral rat 44400 mg/kg (Source: NZ_CCID) LD50 dermal rabbit > 5000 mg/kg (Source: CHEMVIEW) ATE US (oral) 4400 mg/kg body weight Anisic aldehyde (123-11-5) LD50 oral rat 3210 mg/kg (Source: ECHA) LD50 oral 3210 mg/kg (Source: ECHA) LD50 oral 3210 mg/kg (Source: EPA_HPV) LC50 Inhalation - Rat > 0.32 mg/l (Exposure time: 7 h Source: ECHA) ATE US (oral) 500 mg/kg body weight Ethyl maltol (4940-11-8) LD50 oral 1200 mg/kg (Source: NLM_CIP) LD50 oral 1200 mg/kg (Source: ECHA_API) ATE US (oral) 1150 mg/kg (Source: ECHA_API) ATE US (oral) 1150 mg/kg (Source: NLM_CIP) LD50 oral rat 1150 mg/kg (Source: ECHA_API) ATE US (oral) 1150 mg/kg (Source: NLM_CIP) LD50 oral rat 1150 mg/kg (Source: ECHA_API) ATE US (oral) 1150 mg/kg (Source: NLM_CIP)	Aldehyde C-10 (112-31-2)		
ATE US (oral) ATE US (dermal) Orange oil (8008-57-9) LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (LD50 oral rat	3730 mg/kg (Source: NLM_HSDB)	
ATE US (dermal) 5040 mg/kg body weight	LD50 dermal rabbit	5040 mg/kg (Source: NLM_HSDB)	
Orange oil (8008-57-9) 4400 mg/kg (Source: NZ_CCID) LD50 oral rat 4400 mg/kg (Source: CHEMVIEW) ATE US (oral) 4400 mg/kg body weight Anisic aldehyde (123-11-5) LD50 oral rat LD50 oral 3210 mg/kg (Source: ECHA) LD50 oral 3210 mg/kg body weight LD50 dermal rabbit > 5000 mg/kg (Source: EPA_HPV) LC50 Inhalation - Rat > 0.32 mg/l (Exposure time: 7 h Source: ECHA) ATE US (oral) 500 mg/kg body weight Ethyl maltol (4940-11-8) LD50 oral rat LD50 oral 1200 mg/kg (Source: NLM_CIP) LD50 oral 1200 mg/kg (Source: ECHA_API) ATE US (oral) 1150 mg/kg (Source: ECHA_API) ATE US (oral) 1150 mg/kg (Source: ECHA_API) ATE US (oral) 1150 mg/kg (Source: ECHA_CIP) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral 1570 mg/kg	ATE US (oral)	3730 mg/kg body weight	
LD50 oral rat	ATE US (dermal)	5040 mg/kg body weight	
ATE US (oral) A400 mg/kg (Source: CHEMVIEW)	Orange oil (8008-57-9)		
ATE US (oral) 4400 mg/kg body weight Anisic aldehyde (123-11-5) LD50 oral rat 3210 mg/kg (Source: ECHA) LD50 oral 3210 mg/kg body weight LD50 dermal rabbit > 5000 mg/kg (Source: EPA_HPV) LC50 Inhalation - Rat > 0.32 mg/l (Exposure time: 7 h Source: ECHA) ATE US (oral) 500 mg/kg body weight Ethyl maltol (4940-11-8) LD50 oral rat 1150 mg/kg (Source: NLM_CIP) LD50 oral 1200 mg/kg body weight ATE US (oral) 1150 mg/kg (Source: ECHA_API) ATE US (oral) 1150 mg/kg (Source: ECHA_API) ATE US (oral) 1230 mg/kg (Source: NLM_CIP) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral rat 1230 mg/kg (Source: NLM_CIP)	LD50 oral rat	4400 mg/kg (Source: NZ_CCID)	
Anisic aldehyde (123-11-5) LD50 oral rat 3210 mg/kg (Source: ECHA) LD50 oral 3210 mg/kg body weight LD50 dermal rabbit > 5000 mg/kg (Source: EPA_HPV) LC50 Inhalation - Rat > 0.32 mg/l (Exposure time: 7 h Source: ECHA) ATE US (oral) 500 mg/kg body weight Ethyl maltol (4940-11-8) LD50 oral rat 1150 mg/kg (Source: NLM_CIP) LD50 oral 1200 mg/kg body weight LD50 dermal rabbit > 5000 mg/kg (Source: ECHA_API) ATE US (oral) 1150 mg/kg (Source: ECHA_API) ATE US (oral) 1150 mg/kg body weight benzyl alcohol (100-51-6) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral rat 1570 mg/kg	LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
LD50 oral rat 3210 mg/kg (Source: ECHA) LD50 oral 3210 mg/kg body weight LD50 dermal rabbit > 5000 mg/kg (Source: EPA_HPV) LC50 Inhalation - Rat > 0.32 mg/l (Exposure time: 7 h Source: ECHA) ATE US (oral) 500 mg/kg body weight Ethyl maltol (4940-11-8) 1150 mg/kg (Source: NLM_CIP) LD50 oral rat 1150 mg/kg (Source: NLM_CIP) LD50 oral 1200 mg/kg body weight LD50 dermal rabbit > 5000 mg/kg (Source: ECHA_API) ATE US (oral) 1150 mg/kg body weight benzyl alcohol (100-51-6) 1230 mg/kg (Source: NLM_CIP) LD50 oral 1570 mg/kg	ATE US (oral)	4400 mg/kg body weight	
LD50 oral 3210 mg/kg body weight	Anisic aldehyde (123-11-5)		
LD50 dermal rabbit > 5000 mg/kg (Source: EPA_HPV) LC50 Inhalation - Rat > 0.32 mg/l (Exposure time: 7 h Source: ECHA) ATE US (oral) 500 mg/kg body weight Ethyl maltol (4940-11-8) 1150 mg/kg (Source: NLM_CIP) LD50 oral rat 1200 mg/kg body weight LD50 oral 1200 mg/kg (Source: ECHA_API) ATE US (oral) 1150 mg/kg body weight benzyl alcohol (100-51-6) 1230 mg/kg (Source: NLM_CIP) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral 1570 mg/kg	LD50 oral rat	3210 mg/kg (Source: ECHA)	
LC50 Inhalation - Rat	LD50 oral	3210 mg/kg body weight	
ATE US (oral) 500 mg/kg body weight Ethyl maltol (4940-11-8) 1150 mg/kg (Source: NLM_CIP) LD50 oral rat 1200 mg/kg body weight LD50 dermal rabbit > 5000 mg/kg (Source: ECHA_API) ATE US (oral) 1150 mg/kg body weight benzyl alcohol (100-51-6) 1230 mg/kg (Source: NLM_CIP) LD50 oral 1570 mg/kg	LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)	
Ethyl maltol (4940-11-8) LD50 oral rat 1150 mg/kg (Source: NLM_CIP) LD50 oral 1200 mg/kg body weight LD50 dermal rabbit > 5000 mg/kg (Source: ECHA_API) ATE US (oral) 1150 mg/kg body weight benzyl alcohol (100-51-6) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral 1570 mg/kg	LC50 Inhalation - Rat	> 0.32 mg/l (Exposure time: 7 h Source: ECHA)	
LD50 oral rat 1150 mg/kg (Source: NLM_CIP) LD50 oral 1200 mg/kg body weight LD50 dermal rabbit > 5000 mg/kg (Source: ECHA_API) ATE US (oral) 1150 mg/kg body weight benzyl alcohol (100-51-6) 1230 mg/kg (Source: NLM_CIP) LD50 oral 1570 mg/kg	ATE US (oral)	500 mg/kg body weight	
LD50 oral 1200 mg/kg body weight LD50 dermal rabbit > 5000 mg/kg (Source: ECHA_API) ATE US (oral) 1150 mg/kg body weight benzyl alcohol (100-51-6) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral 1570 mg/kg	Ethyl maltol (4940-11-8)		
LD50 dermal rabbit > 5000 mg/kg (Source: ECHA_API) ATE US (oral) 1150 mg/kg body weight benzyl alcohol (100-51-6) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral 1570 mg/kg	LD50 oral rat	1150 mg/kg (Source: NLM_CIP)	
ATE US (oral) 1150 mg/kg body weight benzyl alcohol (100-51-6) 1230 mg/kg (Source: NLM_CIP) LD50 oral 1570 mg/kg	LD50 oral	1200 mg/kg body weight	
benzyl alcohol (100-51-6) LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral 1570 mg/kg	LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
LD50 oral rat 1230 mg/kg (Source: NLM_CIP) LD50 oral 1570 mg/kg	ATE US (oral)	1150 mg/kg body weight	
LD50 oral 1570 mg/kg	benzyl alcohol (100-51-6)		
	LD50 oral rat	1230 mg/kg (Source: NLM_CIP)	
ATE US (oral) 1230 mg/kg body weight	LD50 oral	1570 mg/kg	
	ATE US (oral)	1230 mg/kg body weight	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Butylated hydroxytoluene (BHT) crystals	(128-37-0)
LD50 oral rat	> 2930 mg/kg (Source: EPA_HPV)
LD50 dermal rat	> 2000 mg/kg (Source: JAPAN_GHS)
ATE US (oral)	500 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Butylated hydroxytoluene (BHT) crystals	(128-37-0)
IARC group	3 - Not classifiable
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.
Viscosity, kinematic	: No data available
benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s
Orange oil (8008-57-9)	
Hydrocarbon	Yes
Potential Adverse human health effects and symptoms Symptoms/effects	Harmful if swallowed. Based on available data, the classification criteria are not met. Suspected of damaging fertility or the unborn child. Not expected to present a significant hazard.
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	 under anticipated conditions of normal use. May cause an allergic skin reaction. Causes skin irritation. Eye irritation. Swallowing a small quantity of this material will result in serious health hazard. May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1. Toxicity

benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
NOEC (chronic)	0.168 mg/l	
Ethyl vanillin (121-32-4)		
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
Aldehyde C-10 (112-31-2)		
LC50 - Fish [1]	1.45 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)	
Ethyl maltol (4940-11-8)		
LC50 - Fish [1]	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: ECHA)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

benzyl alcohol (100-51-6)		
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)	
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
Butylated hydroxytoluene (BHT) crystals (128	i-37-0)	
EC50 72h - Algae [1]	6 mg/l (Species: Pseudokirchneriella subcapitata)	
EC50 72h - Algae [2]	> 0.42 mg/l (Species: Desmodesmus subspicatus)	
12.2. Persistence and degradability		
Iced Lemon Biscotti #TS016		
Persistence and degradability	Not established.	
benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
Ethyl vanillin (121-32-4)		
Persistence and degradability	Rapidly degradable	
Lime oil distilled (8008-26-2)		
Persistence and degradability	Rapidly degradable	
Orange Oil (8028-48-6)		

Rapidly degradable

A	iaer	ıyae	C-10	(T	12-3	71-2)

Persistence and degradability

Persistence and degradability Rapidly degradable

Orange oil (8008-57-9)

Persistence and degradability Rapidly degradable

Anisic aldehyde (123-11-5)

Persistence and degradability Rapidly degradable

Ethyl maltol (4940-11-8)

Persistence and degradability Rapidly degradable

benzyl alcohol (100-51-6)

Persistence and degradability Rapidly degradable

Butylated hydroxytoluene (BHT) crystals (128-37-0)

Persistence and degradability Rapidly degradable

12.3. Bioaccumulative potential

Iced Lemon Biscotti #TS016		
Bioaccumulative potential Not established.		
benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

benzyl benzoate (120-51-4)		
Bioaccumulative potential	Not established.	
Ethyl vanillin (121-32-4)		
Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)	
Aldehyde C-10 (112-31-2)		
Partition coefficient n-octanol/water (Log Pow)	3.8 (at 35 °C)	
Anisic aldehyde (123-11-5)		
Partition coefficient n-octanol/water (Log Pow)	1.56 (at 25 °C (at pH >7.9-<8.25)	
Ethyl maltol (4940-11-8)		
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 25 °C)	
benzyl alcohol (100-51-6)		
Partition coefficient n-octanol/water (Log Pow)	1.05	
Butylated hydroxytoluene (BHT) crystals (128-37-0)		
BCF - Fish [1]	230 – 2500	
Partition coefficient n-octanol/water (Log Pow)	5.1	

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with local/national laws and regulations. Dispose in

a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecological information : Avoid release to the environment. Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with DOT

14.1. UN number

DOT NA No : Not regulated

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not regulated

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not regulated

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.4. Packing group

Packing group (DOT) : Not regulated

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Orange Oil CAS-No. 8028-48-6 1 – 2%

15.2. International regulations

CANADA

benzyl benzoate (120-51-4)

Listed on the Canadian DSL (Domestic Substances List)

Ethyl vanillin (121-32-4)

Listed on the Canadian DSL (Domestic Substances List)

Lime oil distilled (8008-26-2)

Listed on the Canadian DSL (Domestic Substances List)

Orange Oil (8028-48-6)

Listed on the Canadian DSL (Domestic Substances List)

Aldehyde C-10 (112-31-2)

Listed on the Canadian DSL (Domestic Substances List)

Orange oil (8008-57-9)

Listed on the Canadian DSL (Domestic Substances List)

Anisic aldehyde (123-11-5)

Listed on the Canadian DSL (Domestic Substances List)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ethyl maltol (4940-11-8)

Listed on the Canadian DSL (Domestic Substances List)

benzyl alcohol (100-51-6)

Listed on the Canadian DSL (Domestic Substances List)

Butylated hydroxytoluene (BHT) crystals (128-37-0)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

benzyl benzoate (120-51-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Ethyl vanillin (121-32-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Orange Oil (8028-48-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Aldehyde C-10 (112-31-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances).

Anisic aldehyde (123-11-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Ethyl maltol (4940-11-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

benzyl alcohol (100-51-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Butylated hydroxytoluene (BHT) crystals (128-37-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National regulations

benzyl benzoate (120-51-4)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Ethyl vanillin (121-32-4)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

Lime oil distilled (8008-26-2)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

Orange Oil (8028-48-6)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aldehyde C-10 (112-31-2)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

Orange oil (8008-57-9)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

Anisic aldehyde (123-11-5)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

Ethyl maltol (4940-11-8)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

benzyl alcohol (100-51-6)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

Butylated hydroxytoluene (BHT) crystals (128-37-0)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Refined Soybean oil(8001-22-7)	U.S Pennsylvania - RTK (Right to Know) List
benzyl alcohol(100-51-6)	U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
Butylated hydroxytoluene (BHT) crystals(128-37-0)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 5/23/2024 Other information : None.

Full text of H-phrases	
H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases		
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H361	Suspected of damaging fertility or the unborn child	
H410	Very toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	

Safety Data Sheet (SDS), USA

The data contained in this Safety Data Sheet is accurate to the best knowledge of the manufacturer, applies to the product as supplied by the manufacturer and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does the manufacturer assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact the supplier.

